




# LOADER LOG FORKS

VISIBILITY PLUS FEATURES EVERY LOG YARD NEEDS



If you're looking for the right fork for your tough log yard work, look no further. Experience the exceptional power and versatility of the Rockland Log Fork. Designed with a low-profile backframe, it guarantees maximum visibility that operators appreciate in the log yard. This mighty tool effortlessly tackles the most demanding log yard tasks, thanks to its heavy-duty, breakout force-rated tines, and reinforced backframe. Navigate through uneven terrains seamlessly as the adjustable, floating tines adapt effortlessly, boosting your productivity to new heights.



## Specifications\*

LOADER SIZE BY STRAIGHT TIP LOAD (LBS)	TINE SIZE (IN)	OVERALL WIDTH (IN)	MINIMUM WIDTH OVER TINES (IN)	MAXIMUM WIDTH OVER TINES (IN)	WEIGHT (LBS)
8,601 - 12,800	2.5 X 6 X 48	72	36	68.0	1,470
8,601 - 12,800	2.5 X 6 X 60	72	36	68.0	1,550
8,601 - 12,800	2.5 X 6 X 72	72	36	68.0	1,630
12,801 - 16,700	2.5 X 6 X 48	72	36	67.5	1,545
12,801 - 16,700	2.5 X 6 X 60	72	36	67.5	1,835
12,801 - 16,700	2.5 X 6 X 72	72	36	67.5	1,925
12,801 - 16,700	2.5 X 6 X 84	72	36	67.5	2,295
12,801 - 16,700	2.5 X 6 X 96	72	36	67.5	2,395

Proudly made in the USA

\*Specifications subject to change without notice.

**WARRANTY** Rockland Log Forks are guaranteed against failure due to defective design, materials, or workmanship for a period of two years.



# LOADER LOG FORKS

VISIBILITY PLUS FEATURES EVERY LOG YARD NEEDS

## Specifications\*

LOADER SIZE BY STRAIGHT TIP LOAD (LBS)	TINE SIZE (IN)	OVERALL WIDTH (IN)	MINIMUM WIDTH OVER TINES (IN)	MAXIMUM WIDTH OVER TINES (IN)	WEIGHT (LBS)
16,701-23,800	3 X 7 X 48	72	36	68.0	2,125
16,701-23,800	3 X 7 X 60	72	36	68.0	2,255
16,701-23,800	3 X 7 X 72	72	36	68.0	2,355
16,701-23,800	3 X 7 X 84	72	36	67.5	2,850
16,701-23,800	3 X 7 X 96	72	36	67.5	2,995
23,801-27,000	3 X 7 X 48	72	36	67.5	2,565
23,801-27,000	3 X 7 X 60	72	36	67.5	2,755
23,801-27,000	3 X 7 X 72	72	36	67.5	2,865
23,801-27,000	3 X 7 X 84	72	36	67.5	3,745
23,801-27,000	3 X 7 X 96	72	36	67.5	3,945

Proudly made in the USA

\*Specifications subject to change without notice.

**WARRANTY** Rockland Log Forks are guaranteed against failure due to defective design, materials, or workmanship for a period of two years.



# LOADER LOG FORKS

VISIBILITY PLUS FEATURES EVERY LOG YARD NEEDS

## Specifications\*

LOADER SIZE BY STRAIGHT TIP LOAD (LBS)	TINE SIZE (IN)	OVERALL WIDTH (IN)	MINIMUM WIDTH OVER TINES (IN)	MAXIMUM WIDTH OVER TINES (IN)	WEIGHT (LBS)
27,001 - 34,000	3.5X8X60	72	36	67.5	3,440
27,001 - 34,000	3.5X8X72	72	36	66.5	3,550
27,001 - 34,000	3.5X8X84	72	36	66.5	3,930
27,001 - 34,000	3.5X8X96	72	36	66.5	4,760
34,001 - 42,500	3.5X8X60	90	36	85.0	3,850
34,001 - 42,500	3.5X8X72	90	36	85.0	4,000

Proudly made in the USA

\*Specifications subject to change without notice.

**WARRANTY** Rockland Log Forks are guaranteed against failure due to defective design, materials, or workmanship for a period of two years.