



RF ROCK FORKS


THE IDEAL LOW-COST SOLUTION
TO HANDLING LARGE ROCKS WITH
A WHEEL LOADER

Problem: You need a wheel loader attachment that can handle rocks.

Solution: Rockland RF Rock Forks.

Pallet forks or log forks simply cannot stand up to quarry work. Don't even try. If you are going to handle rocks with forks, you need a fork designed to handle rocks!

Rugged, dependable, and built to last, Rockland RF Rock Forks have severe service frames. They are equipped with fixed, extra wide, extra thick tines to stand up to quarry work.



SPECIFICATIONS

Machine Category	40	50	60	70	80	90	100	110
Tine Length (")	4x9x60 <i>102x229x1524</i>	4.5x9x60 <i>114x229x1524</i>	4.5x12x60 <i>114x305x1524</i>	5x12x60 <i>127x305x1524</i>	6x14x72 <i>152x356x1829</i>	6x14x72 <i>152x356x1829</i>	6x16x72 <i>152x406x1829</i>	6x24x72 <i>152x610x1829</i>
Overall Width (")	68 <i>1727</i>	68 <i>1727</i>	74 <i>1880</i>	84 <i>2134</i>	84 <i>2134</i>	84 <i>2134</i>	90 <i>2286</i>	90 <i>2286</i>
Width Over Tines (")	66 <i>1676</i>	66 <i>1676</i>	72 <i>1829</i>	82 <i>2083</i>	81 <i>2057</i>	81 <i>2057</i>	86 <i>2184</i>	86 <i>2184</i>
Weight (lbs.)	2700 <i>1225</i>	2890 <i>1311</i>	4690 <i>2127</i>	6115 <i>2774</i>	6465 <i>2933</i>	8195 <i>3717</i>	9750 <i>4423</i>	12960 <i>5879</i>

(mm/kg)

Specifications subject to change without notice.

INSTALLATION INFORMATION

RF Rock Forks mount in place of the standard bucket using factory pins or specified coupler brackets.

WARRANTY

Rockland RF Rock Forks are guaranteed against failure due to defective design, materials or workmanship for a period of two years or 4000 hours.



Distributed by:

ROCKLAND MANUFACTURING CO.
P O BOX 5
800-458-3773

BEDFORD, PA 15522
www.rocklandmfg.com